

| L Number | Hits | Search Text | DB | Time stamp |
|-------------|--------|---|---|---------------------|
| 1 | 179555 | cart\$1 same cradle sale wireless | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/08 13:35 |
| 8 | 4749 | (cart\$1 same cradle sale wireless) and 235/\$7.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/08 13:35 |
| 15 | 3 | cart\$1 same cradle same wireless | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/08 13:35 |
| 22 | 23 | ((portable adj terminal) and 235/\$7.ccls.) and wireless and cart\$1 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/07/08 14:17 |

(0) movable adj25 pos
 (0) movable adj25 register
 (1) tendering adj station
 (26) 5334821.URPN.
 (58) portable adj25 ("point of sale terminal" pos)
 (1024) portable adj terminal
 (1) (portable adj terminal) same wheel
 (436) (portable adj terminal) and mounted
 (13) ((portable adj terminal) and mounted) and wheels
 (24) 5031098.URPN.
 (3) skyteller
 (3) "tag remover"
 (10) ("4418277" | "4575624" | "4881061" | "4939356" | "5005125" | "501
 (1) ("5594228").PN.
 (265) pos and internet
 (4) ((pos and internet) and telephone) and headset
 (190) (pos and internet) and telephone
 (89462) telephone headset transceiver
 (0) telephone and headset and transceiver
 (216) telephone and headset and transceiver
 (8) (telephone and headset and transceiver) and 235/\$7.ccls.
 (54) (pos and internet) and 235/\$7.ccls.
 (3) (pos and "internet browser") and 235/\$7.ccls.
 (14) pos and "internet browser"

DB: BUSPAT

Default operator: OR

((portable adj terminal) and mounted) and wheels

BRIS term SaR term Image Text

| | U | Document ID | Issue Date | Pages | Title | Current OR | Current XRef | Retrieval C | Inventor | S | C | P | 3 | |
|----|--------------------------|--------------|------------|-------|---|------------|--------------------------|-------------|------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1 | <input type="checkbox"/> | US 5202825 A | 19930413 | 13 | Transaction control system including portable data | 705/21 | | | Miller, Phillip et al. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 2 | <input type="checkbox"/> | US 5031098 A | 19910709 | 14 | Transaction control system including portable data | 705/21 | | | Miller, Phillip et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 3 | <input type="checkbox"/> | US 6157621 A | 20001205 | 143 | Satellite communication system | 370/310 | 370/394 370/400 | | Brown, Alison K. et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 4 | <input type="checkbox"/> | US 6068156 A | 20000530 | 80 | Method for controlling a drug dispensing system | 221/7 | 221/129 700/236 | | Liff, Harold J. et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 5 | <input type="checkbox"/> | US 5949921 A | 19990907 | 48 | Image processing apparatus for reading an image by hand | 382/295 | 382/275 382/313 | | Kojima, Akio et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 6 | <input type="checkbox"/> | US 5930411 A | 19990727 | 41 | Image processing apparatus for adjusting scanning | 382/312 | 382/318 | | Kojima, Akio et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 7 | <input type="checkbox"/> | US 5797515 A | 19980825 | 68 | Method for controlling a drug dispensing system | 221/2 | 221/129 700/241 | | Liff, Harold J. et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 8 | <input type="checkbox"/> | US 5713485 A | 19980203 | 21 | Drug dispensing system | 221/2 | 221/129 700/237 | | Liff, Harold J. et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 9 | <input type="checkbox"/> | US 5646389 A | 19970708 | 42 | Inventory management system using coded re-order | 235/385 | 235/383 | | Bravman, Richard et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 10 | <input type="checkbox"/> | US 5636016 A | 19970603 | 9 | Apparatus and method for the geometric inspection of | 356/139.09 | 33/203.18 | | Coetsier, Paul et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 11 | <input type="checkbox"/> | US 5393965 A | 19950228 | 45 | Flexible merchandise checkout and inventory | 235/383 | 235/462.09 235/462.15 | | Bravman, Richard et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 12 | <input type="checkbox"/> | US 5135559 A | 19920804 | 7 | Apparatus for forming articles of hollow glass | 65/158 | 65/154 65/225 | | Sasso, Danielle et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| 13 | <input type="checkbox"/> | US 3647972 A | 19720307 | 12 | LOW-COST PORTABLE TERMINAL DEVICE FOR ELECTRONIC DATA | 379/93.37 | 379/443 379/444 | | Glover, William T. et al. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

| | Type | Hits | Search Text | DBs |
|----|------|------|---|---|
| 15 | BRS | 0 | (portable adj terminal) near20 (tender\$4 adj station) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 16 | BRS | 26 | (portable adj terminal) near20 (cradle) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 17 | IS&R | 2 | ("5202825").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 18 | BRS | 24 | 5202825.URPN. | USPAT |
| 19 | BRS | 10 | ("4373133" "5031098" "5149947" "5189291" "5202825" "5216233" "5250789" "5347115" "5393965" "5729697").PN. | USPAT |
| 20 | BRS | 177 | (portable adj terminal) near20 issu\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 21 | BRS | 1 | ((portable adj terminal) near20 issu\$4) same authoriz\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 22 | BRS | 604 | 235/462.45,462.44,462.43.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 23 | BRS | 185 | 235/462.43.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 24 | BRS | 13 | 235/462.43.ccls. and (download\$3 near20 (information data)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 25 | BRS | 7 | 235/462.43.ccls. and (acquir\$4 near20 (information data)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 26 | BRS | 0 | 235/462.43.ccls. and (download\$3 near20 (reference near20 data)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS | 1 | 235/462.45,462.44,462.43.ccls. and (download\$3 near20 (reference near20 (information data))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 28 | BRS | 1 | 235/462.43.ccls. and (download\$3 near20 (reference near20 (information data))) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 29 | IS&R | 4 | ((("4866257") or ("4861972"))).PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 30 | BRS | 19 | 4866257.URPN. | USPAT |

| | Type | Hits | Search Text | DBs |
|----|------|------|--|---|
| 31 | BRS | 29 | ("4543450" "4579407" "4678288" "4686506" "4694182" "4699447" "4820193" "4861972" "4866257" "4868375" "4889497" "4902244" "4915639" "4941845" "4954101" "4972470" "5040993" "5092793" "5181858" "5200597" "5214268" "5222164" "5250792" "5330370" "5347113" "5563402" "5664229" "5675139" "5703347") .PN. | USPAT |
| 32 | BRS | 33 | 235/462.43.ccls. and (wireless) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 33 | IS&R | 25 | (("4373133") or ("5419947") or ("5186281") or ("5208446") or ("5310997") or ("5311969") or ("5334821") or ("5397882") or ("5434394") or ("5468942") or ("5540301") or ("5557088") or ("5646389")) .PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS | 17 | tender\$4 adj station | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS | 4860 | pos near5 terminal | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 36 | BRS | 0 | (pos near5 terminal) near20 (prtable mavable) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 37 | BRS | 29 | 235/462.45,462.44,462.43.ccls. and (pos near5 terminal) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 38 | BRS | 1 | register near20 (prtable mavable) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 39 | BRS | 53 | 235/462.45,462.44,462.43.ccls. and (portable adj terminal) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS | 182 | 902/22.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS | 0 | 902/22.ccls. and (prtable mavable) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 42 | BRS | 0 | 235/462.43.ccls. and 902/22.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|------|--|---|
| 43 | BRS | 0 | tender\$4 near20 register\$3 near20 portable | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 44 | BRS | 134 | tender\$4 near20 register\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS | 2 | (tender\$4 near20 register\$3) same portable | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 46 | BRS | 3 | tender\$4 near20 terminal\$3 near20 portable | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 47 | BRS | 60 | (portable adj terminal) and 235/462.44-462.47.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 48 | IS&R | 2 | ("5979757").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 49 | BRS | 2 | (portable adj terminal) near20 authorization near20 identification | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 50 | BRS | 17 | (portable adj terminal) near20 authorization | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 51 | BRS | 18 | (portable adj terminal) near20 (issu\$4 assign\$4) near20 identification | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 52 | BRS | 3 | (portable adj terminal) near20 (issu\$4 assign\$4) near20 authoriz\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 53 | BRS | 42 | (mobile adj terminal) near20 (issu\$4 assign\$4) near20 identification | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 54 | BRS | 5 | (mobile adj terminal) near20 (issu\$4 assign\$4) near20 authoriz\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 55 | IS&R | 2 | ("5057677").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 56 | BRS | 13 | 5057677.URPN. | USPAT |
| 57 | BRS | 8 | 5536084.URPN. | USPAT |
| 58 | BRS | 12 | ("4489387" "4857713" "4897662" "4955038" "4967108" "4967928" "4984291" "5008821" "5025486" "5057677" "5072383" "5077666").PN. | USPAT |
| 59 | BRS | 8 | 5536084.URPN. | USPAT |

| | Type | Hits | Search Text | DBs |
|----|------|------|--|---|
| 60 | BRS | 0 | (portable adj terminal) near20 diaplsy | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 61 | BRS | 2096 | (portable adj terminal) near20 display | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 62 | BRS | 57 | ((portable adj terminal) near20 display) and 235/\$7.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS | 36 | ((portable adj terminal) near20 display) and 235/\$7.ccls.) and attach\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 64 | BRS | 1 | ((portable adj terminal) near20 display) same attach\$4) and 235/\$7.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS | 54 | ((portable adj terminal) near20 display) same attach\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 66 | IS&R | 2 | ("6003008").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 67 | IS&R | 2 | ("5883373").PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 68 | BRS | 554 | inventory near20 availability | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 69 | BRS | 2155 | customer near20 preference\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 70 | BRS | 1 | (inventory near20 availability) near20 (customer near20 preference\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 71 | BRS | 38 | (customer near20 preference\$3) near20 inventory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 72 | BRS | 0 | royal\$4 near20 (customer near20 preference\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 73 | BRS | 61 | (customer near20 preference\$3) near20 identify\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 74 | BRS | 0 | ((customer near20 preference\$3) near20 identify\$3) same inventory | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 75 | BRS | 2 | (inventory near20 availability) and ((customer near20 preference\$3) near20 identify\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|------|---|---|
| 76 | BRS | 0 | ((customer near20 preference\$3) near20 identify\$3) near20 availability | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 77 | BRS | 2 | ((customer near20 preference\$3) near20 identify\$3) same availability | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 78 | BRS | 44 | (inventory near20 availability) and (customer near20 preference\$3) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 79 | BRS | 370 | (portable adj terminal) near20 message\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 80 | BRS | 371 | (portable adj terminal) near20 messag\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |
| 81 | BRS | 19 | ((portable adj terminal) near20 message\$3) near20 send\$3 near20 receiv\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB |